


CENTER CONSOLES

SEAVEE Z PERFORMANCE MODEL LINE



SEA VEE
Boats
LEAD THE WAY





REVOLUTIONIZING PERFORMANCE FROM THE BOTTOM UP

The award-winning SeaVee Z redefines the Offshore Center Console Performance category from the bottom up. Superior handling, speed and efficiency all start with the revolutionary new high-tech, cross ventilated, twin stepped, cored hull. Multiple lifting bodies, each with a unique angle of attack, are designed to produce a fixed trim angle at a variety of speeds ensuring maximum efficiency, ride comfort and a clear view of the horizon at all times.

Safety at speed is paramount. To ensure safe handling during high speed maneuvers, the SeaVee Z features patented Speed-rail™ Technology. High speed turns produce opposing concentrated pressure on the speed-rails™, safely keeping the boat tracking in the desired direction without the risk of losing control. The precise handling performance of the SeaVee Z significantly enhances the safety of the operator and passengers, while producing an exhilarating ride experience.



The SeaVee Z Model line up is designed exclusively for outboard power. It all starts with the twin engine 320Z, includes the bold 340Z, the all new 370Z and the flagship 390Z with up to four motors and 1,600 hp. Every model is available either as an open fisherman or as the Luxury Edition (LE) with additional seating options and creature comforts.

SPECIFICATIONS



320 Z & LE

The SeaVee 320 Z is available in two configurations; as an Open Fisherman, or the Luxury Edition (LE). The 320 Z Open is a performance oriented tournament fishing machine with a wide open deck layout and loads of storage capacity. Notable options include up to 4 live wells, an upper station with full controls, and a range of leaning post and t-top designs. Upgrading to the Luxury Edition adds molded-in forward seating and a variety of optional rear benches.

SPECIFICATIONS*

Length:	32' 5"
Beam:	9' 4"
Weight w/o engines:	6,820 lbs.
Hull Draft:	20"
Hull Deadrise:	25°
Fuel Capacity:	312 gal.
Fresh Water:	46 gal.
Waste:	16 gal
Max Engines:	2
Max HP:	800

CAPACITIES


Fwd Fishbox:	160 gal.
Fwd Fishbox / Live Well:	53 gal.
Fwd Wing Boxes:	2x 45 gal.
Aft In Deck Fishbox / Live Well:	60 gal.
Transom Live Well:	60 gal.
Aft Wing Boxes:	2 x 40 gal.
Transom Storage/ Live Well:	10 gal./22 gal.

STANDARD FEATURES

- 60 gallon live well with pump
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Dual water separators
- Large dual card compass
- Dual automatic bilge pumps
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- 1/4" Coated Aluminum Fuel Tanks
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Pop up cleats (6)

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Storage / Optional Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Transom Storage or Live Well
- K. Optional Molded Forward Seating with Electric Back Rest & Storage
- L. Aft Wing Storage (Removable)
- M. Transom Dive Door



*Specifications subject to change

SPECIFICATIONS 340Z



340 Z OPEN

Designed to dominate fishing tournaments and lead the way on long runs offshore, the SeaVee 340 Z Open can be powered with twin or triple outboards up to 1,200 hp. Offered with an abundance of options including an upper station with full controls, up to 3 insulated fishboxes with a combined 293 gallons of capacity, plus an optional coffin box and up to 4 live wells capable of holding a combined 193 gallons.

SPECIFICATIONS*

Length:	34' 9"
Beam:	10'
Weight w/o engines:	7,950 lbs.
Hull Draft:	20"
Hull Deadrise:	23.5°
Fuel Capacity:	364 gal.
Fresh Water:	46 gal.
Waste:	16 gal
Max Engines:	3
Max HP:	1,200

CAPACITIES

Fwd Fishbox:	180 gal.
Fwd. Fishbox / Live Well:	53 gal.
Fwd Wing Boxes:	2x 45 gal.
In Deck Fishbox / Live Well:	60 gal.
Transom Live Well:	60 gal.
Aft Wing Boxes:	2 x 40 gal.
Transom Storage/ Live Well:	10 gal./22 gal.

STANDARD FEATURES

- 60 gallon live bait well with pump
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Fuel / water separator (s)
- Large dual card compass
- Dual automatic bilge pumps
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Rod holders (4)
- 1/4" Coated Aluminum Fuel Tanks

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Storage / Optional Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Transom Storage or Live Well
- K. Aft Wing Storage (Removable)
- L. Transom Dive Door



- Pop up cleats (6)
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center console with storage compartment
- Helm station keyed, electronically controlled battery switches
- Lockable rod storage
- 10 year hull warranty



340 Z LE

The SeaVee 340 Z Luxury Edition (LE) offers the same level of performance as her sister ship, along with additional forward seating options for families seeking a comfort upgrade. Sun worshipers will appreciate the 340 Z LE's two lounge style seats molded into the forward cockpit complete with electronically adjustable backrests and additional storage along both sides.

SPECIFICATIONS*

Length:	34' 9"
Beam:	10'
Weight w/o engines:	8,150lbs.
Hull Draft:	20"
Hull Deadrise:	23.5°
Fuel Capacity:	364 gal.
Fresh Water:	46 gal.
Waste:	16 gal
Max Engines:	3
Max HP:	1,200

CAPACITIES


Fwd Fishbox:	180 gal.
Fwd Fishbox / Live Well:	53 gal.
Fwd Wing Boxes:	2x 45 gal.
Aft In Deck Fishbox / Live Well:	60 gal.
Transom Live Well:	60 gal.
Aft Wing Boxes:	2 x 40 gal.
Transom Storage/ Live Well:	10 gal./22 gal.

STANDARD FEATURES

- 60 gallon live bait well with pump
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Fuel / water separator (s)
- Large dual card compass
- Dual automatic bilge pumps
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Helm station keyed, electronically controlled battery switched
- Rod holders (4)

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage / Optional Head
- F. Custom Tackle Station
- G. Storage / Optional Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Transom Storage or Live Well
- K. Forward Seats With Adjustable Head Rest
- L. Aft Wing Storage (Removable)
- M. Transom Dive Door



- 1/4" Coated Aluminum Fuel Tanks
- Pop up cleats (6)
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center console with storage compartment
- Lockable rod storage
- 10 year hull warranty

*Specifications subject to change

SPECIFICATIONS 370Z



370 Z OPEN & LE

Offering more deck space, range and performance than any boat in her class, the all new 370 Z Open is a tournament fisherman's dream. Power options range from twin to triple outboards up to 1,200 hp. Notable options include an upper station with full controls, up to 5 insulated fishboxes with a combined 445 gallons of capacity, plus an optional coffin box and up to 4 live wells capable of holding up to 215 gallons. Upgrading to the LE option adds a variety of seating options and creature comforts.

SPECIFICATIONS*

Length:	37'
Beam:	10' 6"
Weight w/o engines:	9,300 lbs.
Hull Draft:	22"
Hull Deadrise:	22.5°
Fuel Capacity:	480 gal.
Fresh Water:	46 gal.
Waste:	16 gal
Max Engines:	3
Max HP:	1,200

CAPACITIES


Fwd Fishbox:	150 gal.
Fwd Fishbox / Live Well:	60 gal.
Fwd Wing Boxes:	2x 95 gal.
Aft in Deck Fishbox / Live Well:	70 gal.
Transom Live Wells:	2 x 40 gal.
Aft Fishboxes:	150 gal. & 150 gal.
Aft Wing Boxes:	2 x 13 gal.
Additional Fishbox:	50 gal.

STANDARD FEATURES

- 2 x 40 gallon Live Wells
- Dual aft 13 gallon pull-out compartments
- Transom Door
- Fully insulated fishboxes (4)
- 2 x 150 gallon aft storage lockers
- Dual forward large storage compartments with tubes for rod storage
- Walk-in console with side sliding door, fresh water sink and shower
- Freshwater washdown system with coiled hose and molded hose tray
- Saltwater washdown system with coiled hose and molded hose tray
- Dedicated anchor and storage locker

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Storage / Fishbox / Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Side Entry Door / Swim Ladder
- H. Storage / In-Deck Live Well
- I. Bilge Access
- J. Aft Live Wells
- K. Aft Wing Storage (Removable)
- L. Aft Fishboxes
- M. Under Gunnel Storage or Pull-out Seats
- N. Additional Fishbox
- O. Forward Seating (LE)
- P. Transom Dive Door



- Helm station keyed, electronically controlled battery switches
- Dual tilt out forward storage areas below gunwales or option dual 50" retractable bench seats
- Large dual self bailing deck scupper ports
- 1/4" Coated Aluminum Fuel Tanks
- Dual automatic bilge pumps
- 10 year hull warranty

SPECIFICATIONS

390Z



390 Z OPEN

The SeaVee 390 Z Open offers serious anglers the ultimate in performance and fishability. Power options include twin, triple or quad engines up to 1,600 hp. Notable options include an upper station with full controls, up to 3 insulated fishboxes with a combined 370 gallons of capacity, plus an optional coffin box and up to 5 live wells capable of holding up to 220 gallons.

SPECIFICATIONS*

Length:	39'
Beam:	11'
Weight w/o engines:	9,670 lbs.
Hull Draft:	26"
Hull Deadrise:	22.5°
Fuel Capacity:	563 gal.
Fresh Water:	60 gal.
Waste:	20 gal
Max Engines:	4
Max HP:	1,600

CAPACITIES

Fwd Fishbox:	160 gal.
Fwd Fishbox / Well:	70 gal.
Fwd Wing Boxes:	2x 100 gal.
Aft in Deck Fishbox / Live Well:	140 gal.
Transom Live Well:	65 gal.
Aft Wing Boxes:	2x 40 gal.

STANDARD FEATURES

- 65 gallon live well
- Dual aft 40 gallon pull-out compartments
- Hull-Side Door with folding swim ladder
- 140 gallon aft storage locker/optional live well
- Fully insulated fishboxes (2)
- Lockable rod storage
- Walk-in console with side sliding door, fresh water sink and shower
- Freshwater washdown system with coiled hose and molded hose tray
- Saltwater washdown system with coiled hose and molded hose tray
- Dedicated anchor and storage locker
- Helm station keyed, electronically controlled battery switches
- Dual forward storage areas below gunwales or option dual 52" retractable bench seats

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Optional Pull-out Seats or Under Gunnel Storage
- D. Fishbox or Live Well
- E. Fwd Wing Boxes / Lockable Rod Lockers
- F. Console Storage or Optional Head
- G. Custom Tackle Station
- H. Storage / Optional Fishbox / In-Deck Live Well
- I. Side Entry Door / Swim Ladder
- J. Bilge Access
- K. Aft Wing Box Storage
- L. Fold Down Seating
- M. Live Well



* Specifications subject to change



390 Z LUXURY EDITION

The SeaVee 390 Z Luxury Edition (LE) is a performance oriented fishing platform offering a variety of additional seating and storage options for families that like to spend time on the water together. The 390 LE can be customized to your individual needs with everything from an L-shaped forward seating lounge, a forward sun pad, wet bar, rear lounge seats and a variety of other options.

SPECIFICATIONS

Length:	39'
Beam:	11'
Weight w/o engines:	9,870lbs.
Hull Draft:	26"
Hull Deadrise:	22.5°
Fuel Capacity:	563 gal.
Fresh Water:	60 gal.
Waste:	20 gal
Max Engines:	4
Max HP:	1,600

CAPACITIES

Fwd Fishbox:	160 gal.
Fwd Fishbox / Well:	70 gal.
Aft in Deck Fishbox / Live Well:	140 gal.
Transom Live Well:	65 gal.
Aft Wing Boxes:	2x 40 gal.

STANDARD FEATURES

- 65 gallon live bait well
- Fully insulated fishboxes (2)
- Storage below forward seating area
- Dual aft 40 gallon pull-out compartments
- Hull-Side Door with folding swim ladder
- Lockable rod storage
- Dedicated anchor and storage locker
- Freshwater washdown system with coiled hose and molded hose tray
- Saltwater washdown system with coiled hose and molded hose tray
- Walk-in console with actuated side sliding door, fresh water sink and shower, dual port lights
- Console starboard side above deck molded 108-quart drink cooler
- 120 gallon aft storage locker
- Helm station keyed, electronically controlled battery switches

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Wrap Around Seating With Storage
- D. Fishbox or Live Well
- E. Corian Counter Top With Freshwater Sink
- F. Storage
- G. Console Storage or Optional Head
- H. Above Deck Cooler
- I. Custom Tackle Station
- J. Side Entry Door / Swim Ladder
- K. Storage / Optional Fishbox
- L. Bilge Access
- M. Aft Wing Storage Boxes
- N. Live Well
- O. Fold Down Seating



- Large dual self bailing deck scupper ports
- 1/4" Coated Aluminum Fuel Tanks
- Dual automatic bilge pumps
- 10 year hull warranty

* Specifications subject to change

